

BUSINESS LINE

Office Line

Combined punching and binding machines

A range of strong and long lasting manual machines which are the easiest and smartest way to bind office documents, brochures, catalogues and small calendars.

The best way to give to all your documents a professional look.



Combined punching and binding machines

WB 34 PC "BROCHURE"



Simple punching and binding machine for catalogues and brochures in pitch 3:1" (34 holes) up to 13 mm. thick in A4 standard (and even bigger size thanks to the register pin that allows punching over 300 mm.). Also available in the bigger model with 38 holes ("WB 38 Wide Combi).

FEATURES

- Fixed 3:1" pitch punching tool for all diameters from 3/16" to 9/16".
- Adjustable wire closing bar (for all diameters in pitch 3:1" and 2:1").
- Punching length 300 mm. (A4 = 34 round holes).
- American standard selector (32 holes).
- A5 standard selector (210 mm. = 24 round holes).
- Micrometer adjustable sidelay.
- Volume thickness gauge.
- Register pin for punching documents over 300 mm. wide.
- Maximum punching thickness: 1,5 mm. per stroke.

WB 23 PC "BOOK"



Can punch and bind books and manuals in pitch 2:1" up to 24 mm. thick in A4 standard. Also available in the bigger model with 26 holes ("WB 26 Wide Combi").

FEATURES

- Fixed 2:1" pitch punching tool for all diameters from 9/16" to 1".
- Adjustable wire closing bar (for all diameters in pitch 3:1" and 2:1").
- Punching length 300 mm. (A4 = 23 round holes).
- Micrometer adjustable sidelay.
- Volume thickness gauge.
- Maximum punching thickness: 1,5 mm. per stroke.



Combined punching and binding machines

WB 32 PC "CALENDAR"



The easiest solution to punch and bind small quantities of wall calendars.

FEATURES

- Fixed 3:1" pitch punching tool.
- Adjustable wire closing bar (for all diameters in pitch 3:1" and 2:1").
- Punching length 300 mm. (16 + 16 holes + thumb cut for calendar hangers).
- Micrometer adjustable sidelay.
- Maximum punching thickness: 1,5 mm. per stroke.

MANUAL CLOSER WB HC 30



Strong and simple closing machine for all diameters up to 300 mm. long. Can work together with a manual punching machine.

FEATURES

- Closing machine for all diameters from 3/16" to 1-1/4" (up to 29 mm. thick).




Combined punching and binding machines



Punching.




Insertion of the wire.



Closing.

BINDING SYSTEM



HOW IT WORKS

THREE EASY OPERATIONS:

- **PUNCHING:** All the sheets laying in the punching section have to be punched using the proper handle.
- **INSERTION OF THE WIRE:** Has to be done manually.
- **CLOSING:** Adjust the closing bars with the required size and close the wire using the same handle used for punching.

TECHNICAL SPECIFICATIONS

Electric connection not required.

H 220 x D 230 x L 400 mm.

12 Kg

ALSO AVAILABLE:

MANUAL PUNCHING MACHINES WB 23 P E WB 34 P

For those people who use already our Business Line and wish to enlarge their range saving money adding a machine dedicated to perforation only.

WB 23 P: Punching in pitch 2:1" - A4 standard = 23 holes.

WB 34 P: Punching in pitch 3:1" - A4 standard = 34 holes.

	Ø inch	mm
PITCH	DIAMETER	BIND THICK
3:1"	3/16"	4
	1/4"	5,5
	5/16"	7
	3/8"	8,5
	7/16"	10
	1/2"	11,5
	9/16"	13
2:1"	5/8"	15
	3/4"	18
	7/8"	20
	1"	24
	1-1/4"	29

The Company reserves itself the right to modify the features of the products shown in this catalogue.



RILECART® S.r.l.
WIREBIND INTERNATIONAL



RILECART - WIREBIND INTERNATIONAL
Headquarters and Factory:
Via Daniele Pesenti, n°1
24022 Alzano Lombardo - Bergamo
Tel. +39 035 515.900 - Fax +39 035 515.060
E-mail: info@rilecart.com - Internet: www.rilecart.com

